

Glastonbury Landowners Association, Inc.

FORM E: ROAD / DRIVEWAY

~ Must be accompanied by a Project Review Preliminary Application ~

Parcel/Tract #

☐

North

☐

South

Applicant Name

Date

Brief description of project

Proposed start date

Estimated time to complete

☐ **Driveways**

Length

feet.

Driveway width

feet

Number of culverts

12" minimum culvert diameter(s)

inches

Is the proposed driveway staked? ☐ Yes ☐ No

☐ **Single Residence**

☐ 240' Minimum visibility, in both directions on any Glastonbury road at driveway/road access point.

☐ Maximum grade: 14% ☐ Surface widths: 12 feet (normal terrain); 10 feet (mountainous terrain)

☐ Depth of base course rock: 6 inches ☐ Depth of crushed surface gravel: 3 inches

☐ **Multiple Residence**

☐ 240' Minimum visibility, in both directions on Glastonbury road at the driveway/road access point.

☐ Maximum grade: 14% ☐ Surface width: 14 feet

☐ Depth of base course rock: 6 inches ☐ Depth of crushed surface gravel: 3 inches

☐ **Private Road**

☐ 240' Minimum visibility, in both directions on any Glastonbury road at the driveway/road access point

☐ 60' Easement width ☐ Surface width: 20 feet (Normal terrain)

☐ Maximum grade: 12% ☐ Surface width: 16 feet (Mountainous terrain)

☐ Maximum continuous grade for 500 feet or more: 10%

☐ Minimum frequency of turnouts in sections narrower than normal width: 500 feet

☐ Minimum turning radius: 50 feet.

☐ Depth of base course rock: 9 inches ☐ Depth of crushed surface gravel: 3 inches

Is the proposed road staked? ☐ Yes ☐ No

Visit the [GLA Road/Driveway Standard](#) web page.